

**Product Information** 

## HTC-001A Electronic AATCC Crockmeter

Use : Electronic Crockmeter is used to determine the colour fastness of textiles to dry or wet rubbing.

A pinned acrylic sample holder ensures rapid sample mounting and repeatability of results.

Standard :

ISO105-X12, D02, Bs1006 D02, DIN54021, IWS Tm165, JIS K6328, AATCC 8, AATCC 165



Technical specifications Testing Time: 1-99999 Rubber Travel: 104±3mm Rubbing Speed: 60r/min Rubbing pressure: 9N Rubbing Head: Roundness: diameter 16mm Dimension: 600mm×225mm×270mm Weight: 11kgs Power Source: AC 220V/110V, 50Hz/60Hz