

Dongguan Hust Tony Instruments Co., Ltd 东 莞 华 科 东 尼 仪 器 有 限 公 司

Addr: No. 1 Tech 9 Road, High-New Tech Development Zone, Songshan Lake, Dongguan City 523808, China. (中国广东省东莞市松山湖高新技术产业开发区科技 9 路 1 号).

Tel: 86-769-23010657/ Fax: 86-769-23010667 Email: Addams@tonyhk.hk

Temperature and Humidity Test Chambers



Application:

Programmable Temperature and Humidity test Chamber .This temperature and humidity test chamber is widely used in testing the various materials of

heat-endurance, cold-endurance, dryness-endurance, and humidity-endurance.

suitable for quality control of electronics, electrical appliances, instruments, food, vehicles, metal, chemical, building materials, aerospace, medical etc.

Provide the simulation experiment of natural conditions by setting test chamber temperature and humidity. In order to test the reliability of the products in this environment.

Technical parameters:

1 0011111	cui pui u	111000150					
Model		TNJ-041-80	TNJ-041-150	TNJ-041-225	TNJ-041-408	TNJ-041-800	TNJ-041-1000
Capacity		80 Liter	150 Liter	225 Liter	408 Liter	800 Liter	1000 Liter
Dimension	Inner Dimension (W *H* D)cm:	40*50*40	50*60*50	50*75*60	65*85*80	80*100*100	100*100*100
	Outer Dimension (W *H*	85*140*95	95*150*115	95*165*115	105*175*135	145*190*135	155*195*150

	D)cm						
	Temperatur	A:0~+150°C	B:-20~+150°C	C:-40~+150°C	D:-60~+150°C	E:-70~+150°C	
	e						
	range(Opti	Temperature range(o	ptional, can be custom-	-made)			
	on):	B:-20∼+150°C	C:-40~+150°C	D:-60~+150°C	E:-70~+150°C		
Temperature							
	Temperatur	± 0.5°C					
	e						
	fluctuation						
	degree:						
	Temperatur	2 °C or less					
	e						
	uniformity:						
	Temperatur	±2°C or less					
	e						
	deviation:						
	Avg. rate	Fall + 20 to 40°C ten	nperature drop time (lig	ht) 60 minutes			
	of fall						
	Avg. rate	Temperature rise tim	e - 40 to 100 °C (light)	45 minutes			
	of rise						
Humidity	Humidity	20% ~ 98% R.H	can be set.				
	range:						
	Humidity	2%R.H					
	deviation:						

Construction

Construction			
Control Panel:	LCD touch screen controller (Korea TEMI880)		
Control Program memory capacity:	120 level programmable, maximum 999 times		
Shell material:	201 brushed stainless steel plate or cold rolled steel plate anti-rust		
	treatment		
Inner box material:	SUS304# mirror stainless steel plate		
Thermal insulation materials:	Polyurethane foaming or high density super fine imported glass wool.		
Observation window:	Use the conductive film toughened glass, lighting equipment to start the		
	fluorescent lamp in the fly lipu pl-s 11W.		
Fan:	Centrifugal fan		
Heater:	U-fin type 304# seamless steel high-speed heating electric heater		
Refrigeration compressor:	French taikang scroll compressor		
Refrigeration:	Air cooled		
Refrigeration accessories:	Bending force, danfoss of Denmark, honeywell, Germany, etc		
Sample rack:	Two floors		
Electrical accessories:	Fuji international famous brand		
Pin hole:	On the left side of the machine Φ 50 mm		
Wiring mode:	The electric control wiring method is carried out according to		
	international electrical standard		

Security device:	Fan overload protection, compression overheating protection,	
	overpressure protection, overtemperature protection, moisture and water	
	shortage protection	
Total power:	9KW	
Power Supply:	AC220V optional 50Hz 4.5KW	

Features:

- 1.LED touch-screen controller, User-friendly, operation easy and simple.
- 2. Style design is perfect, arc type and surface spray coating, high texture appearance, use plane handle, easy to operate, safe and reliable.
- 3. Huge observation window, wide and bright visio. Use three layer vacuum coating window and Philips energy-saving fluorescent lamp, unnecessary Windshield wiper mist, keep Clear observation effect, observe sample condition in any time.
- 4. Water and electricity share to ensure safety, Humidifying system channel separate from power, controller and circuit board, to avoid leaking affect circuit, Improve safety.
- 5. Frozen and control system advanced and reliable,imported France Compressor, eco-friendly refrigerant
- 6. Digital, with user friendly interface.
- 7. Stainless steel interior
- 8. Microprocessor based controller with large led / digital display
- 9. Specimen power supply control terminal turns specimen off if chamber faults
- 10. RS 232 computer interface
- 11. Daily program timer, digital
- 12. 24 hour timer, digital
- 13. Weekly program timer, digital

Some of our strategic partners as follow:

1. Shenzheng SGS-CSTC Standards Technical Services Co., Ltd	(Physics Lab)
2. Qingdao SGS-CSTC Standards Technical Services Co., Ltd	(Physics Lab)
3. Guangzhou SGS	(Physics Lab)
4. SGS Vietnam	(Physics Lab)
5. SGS Korea	(Physics Lab)
6. SGS Mexico	(Physics Lab)
7. SGS HK	(Physics Lab)
8. Shenzhen Academy of Metrology & Quality Inspection	(Physics Lab)
14 Consumer Testing Technology Co. Ltd (CTT)	

14. Consumer Testing Technology Co., Ltd (CTT)

- 15. Accurate Technology Co., Ltd (ATC)
- 16. NS Technology Co., Ltd (NST)
- 17. BACL Bay Area Compliance Laboratories Corp.(BACL)
- 18. TUV Rheinland (Shenzhen) Co., Ltd.
- 19. Lctech (DongGuan) Testing Service Co., Ltd
- 20. HUST Manufacturing Engineering Institute
- 25. COOMO
- 26. Dongguan CACAR Kitchen
- 27. Shenzhen Airland Furniture Ltd.
- 28. BOCK Germany (Physics Lab)
- 29. Intertek China
- 30. SGS Pakistan (Private) Limited
- 31. PT SGS INDONESIA
- 32. TUV RHEINLAND VIETNAM CO, LTD
- 33. TUV Rheinland of North America Softlines
- 34. API Lab Testing Ltd
- 35. Cotecna Inspection Hong Kong Limited

(Toys Testing Lab)

36. Applus (Shanghai) Quality Inspection Co., Ltd

(EN71 Toys Testing Lab) (Furniture lab testing)

37. Dekra Shenzhen

38. Dekra Hongkong

生产企业简介及概况 Company Profile

东莞华科东尼仪器有限公司于 2006 年在东莞成立事业部。公司位于东莞市松山湖高新技术产业开发区东莞华中科技大学制造工程研究院内,汇聚了国内机械数控及软件研发核心团队,专业

生产和研发家具测试仪器、纺织测试仪器、玩具测试仪器和汽车检测仪器等。 秉承先进的设计技术和理念,卓越的制造技术和严格的质量管理系统,公司以"精心制造,用心服务"为宗旨,竭诚为制造企业及第三方检测行业提供最好的产品、咨询与服务。经过多年的努









Website: www. tonyhk. hk/www. tony0769. com

力,已在测试领域享有很高的荣誉。并通过 ISO9001:2008 质量体系认证,已被全球最大的检测机构,SGS 和 TUV 设为长期供应商。我们生产的所有仪器均符合,ISO、AATCC、ASTM、DIN、EN、GB、BS、JIS、ANSI、UL、TAPPI、IEC、VDE 等标准。我们的测试仪器已出口到多个国家的企业和测试机构,同时也提供全面的实验室整体解决方案。







服务承诺:



Company Profile

Dongguan Hust Tony Instruments(HTI) is located in high & new tech development zone, Songshan

Lake, Dongguan City. Also **Tony International (HK) Co.,Ltd** is our private-owned cooperation in HK. By supporting from Mechanical CNC and Software R&D core team of DG-HUST Manufacturing engineering institute. HTI specializes in producing and R&D for furniture testing machine, textile testing machine, toys testing equipment, Vehicle Testing Equipment. Continue



the advanced design technology and concept, excellent technology of producing and outstanding system of quality management, HTI aims at "manufacture carefully, service by heart", devoting the best products, counseling and service to schools, manufacturing enterprise, and third party testing industry.

Up to today HIT products spread to countrywide users. We take pride in having a long list of satisfied customers, who always look up to us for their various requirements. Most of our

customers are satisfied from our products and services and as a result of which, we are getting repeat orders. Some of our important customers, include:

SGS in France,SGS in Vietnam, SGS in China,SGS in
Korea,Intertek in China,SAT in China,BACL in Shenzhen, NSF in
Shanghai, ITS,BV,TUV etc

What you concerning is we are struggling all the time.....

The quality proves value, the effort brings success









